



WaterMark

Certificate of Conformity

Australian Certification Services Pty Ltd grants to the WaterMark Approved User:

Yong Xiang Copper Products (Aust) Pty Ltd

Trading as Yong Xiang Copper Products (Aust) Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Ball Valves - Metallic Bodied (DR Brass)
Product Use: Water Supply
Brand: H, WATTS, EZIPRESS
Certification Specification/s: WMTS 012:2018 In-line valves for use in plumbing water supply systems—
Miscellaneous types metallic and nonmetallic
Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date: 28th August 2020
Initial Issue Date: 29th January 2010
Expiry Date: 2nd July 2023

Paul Greig
General Manager

Certificate No.: 23019

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety





WaterMark Certification Schedule

The WaterMark User	Yong Xiang Copper Products (Aust) Pty Ltd ABN: 21 131 499 379 Unit 2 24 Waverley Road Chadstone Melbourne Victoria 3148 Australia Website: www.yongxiangvalve.com
Certificate Number	23019
Evaluation Specification/s:	WMTS 012:2018 In-line valves for use in plumbing water supply systems— Miscellaneous types metallic and nonmetallic

Product Listing

Model Identification	Brand Name	Product Description
216-6	H/WATTS	DN 6 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends MOP 2500 kPa
216-8	H/WATTS	DN 8 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends MOP 2500 kPa
216-10	H/WATTS	DN 10 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends MOP 2500 kPa
216-15	H/WATTS	DN 15 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-20	H/WATTS	DN 20 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-25	H/WATTS	DN 25 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-32	H/WATTS	DN 32 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-40	H/WATTS	DN 40 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-50	H/WATTS	DN 50 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-65	H/WATTS	DN 65 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa



Model Identification	Brand Name	Product Description
216-80	H/WATTS	DN 80 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216-100	H/WATTS	DN 100 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Female Screwed Threaded Ends - MOP 2500 kPa
216A1-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Ball Valve with Lever Handle (Extended Stem) and Press Fit Socket Ends MOP 2500 kPa
216A1-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Ball Valve with Lever Handle (Extended Stem) and Press Fit Socket Ends MOP 2500 kPa
216A-15	H/WATTS	DN15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Female Screwed Threaded Ends Raised Handle (84mm) MOP 2500 kPa
216A-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Female Screwed Threaded Ends Raised Handle (87mm) MOP 2500 kPa
216A-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Female Screwed Threaded Ends Raised Handle (95mm) MOP 2500 kPa
216A-32	H/WATTS	DN32 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Female Screwed Threaded Ends Raised Handle (108mm) MOP 2500 kPa
216A-40	H/WATTS	DN40 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Female Screwed Threaded Ends Raised Handle (114mm) MOP 2500 kPa
216A-50	H/WATTS	DN50 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Female Screwed Threaded Ends Raised Handle (130mm) MOP 2500 kPa
216AG	H/WATTS	DN20 Metallic Bodied (Brass DR) Right Angle Ball Valve with Lever Handle (Lockable Stainless Steel #304) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216AGB-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Right Angle Ball Valve with Lever Handle (Lockable Brass) and Female/Female Screwed Threaded Ends MOP 2500 kPa



Model Identification	Brand Name	Product Description
216AGL	H/WATTS	DN20 Metallic Bodied (Brass DR) Right Angle Ball Valve with Hand Wheel (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216B-15	EZI PRESS/WATTS	DN 15 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Loose Nut x Press Fit Connection Ends. MOP 2500 kPa
216B-20	EZI PRESS/WATTS	DN 20 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Loose Nut x Press Fit Connection Ends. MOP 2500 kPa
216B-25	EZI PRESS/WATTS	DN 25 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Loose Nut x Press Fit Connection Ends. MOP 2500 kPa
216B-32	EZI PRESS/WATTS	DN 32 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Loose Nut x Press Fit Connection Ends. MOP 2500 kPa
216B-40	EZI PRESS/WATTS	DN 40 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Loose Nut x Press Fit Connection Ends. MOP 2500 kPa
216B-50	EZI PRESS/WATTS	DN 50 Metallic Bodied (Brass DR) Ball Valve with Lever Handle and Loose Nut x Press Fit Connection Ends. MOP 2500 kPa
216E-15	H/WATTS	DN15 Metallic Bodied (Brass DR) Ball Valve with Butterfly Handle Crimp Ends for PE-X Pipe MOP 1600 kPa
216E-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Ball Valve with Butterfly Handle Crimp Ends for PE-X Pipe MOP 1600 kPa
216E-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Ball Valve with Butterfly Handle Crimp Ends for PE-X Pipe MOP 1600 kPa
216E-32	H/WATTS	DN32 Metallic Bodied (Brass DR) Ball Valve with Lever Handle Crimp Ends for PE-X Pipe MOP 1600 kPa
216H-15	H/WATTS	DN15 Metallic Bodied (Brass DR) Ball Valve with Butterfly Handle Press Fit Connection Ends MOP 2500 kPa
216H-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Ball Valve with Butterfly Handle Press Fit Connection Ends MOP 2500 kPa
216H-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Ball Valve with Lever Handle Press Fit Connection Ends MOP 2500 kPa



Model Identification	Brand Name	Product Description
216H-32	H/WATTS	DN32 Metallic Bodied (Brass DR) Ball Valve with Lever Handle Press Fit Connection Ends MOP 2500 kPa
216H-40	H/WATTS	DN40 Metallic Bodied (Brass DR) Ball Valve with Lever Handle Press Fit Connection Ends MOP 2500 kPa
216H-50	H/WATTS	DN50 Metallic Bodied (Brass DR) Ball Valve with Lever Handle Press Fit Connection Ends MOP 2500 kPa
216LMF-15	EZI PRESS/WATTS	DN15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216LMF-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216LMF-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216LMF-32	H/WATTS	DN32 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216LMF-40	H/WATTS	DN40 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216LMF-50	H/WATTS	DN50 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216LS-15	H/WATTS	DN15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216LS-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa



Model Identification	Brand Name	Product Description
216LS-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216LS-32	H/WATTS	DN32 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216LS-40	H/WATTS	DN40 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216LS-50	H/WATTS	DN50 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Female/Female Screwed Threaded Ends MOP 2500 kPa
216MFAG-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Right Angle Ball Valve with Lever Handle (Lockable Stainless Steel #304) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216MFAGB-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Right Angle Ball Valve with Lever Handle (Lockable Brass) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216MFLS-15	H/WATTS	DN15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216MFLS-20	H/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216MFLS-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216MFLS-32	H/WATTS	DN32 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216MFLS-40	H/WATTS	DN40 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Male/Female Screwed Threaded Ends MOP 2500 kPa



Model Identification	Brand Name	Product Description
216MFLS-50	H/WATTS	DN50 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Lever Handle (Lockable) and Male/Female Screwed Threaded Ends MOP 2500 kPa
216T-15	EZI PRESS/WATTS	DN15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Female Screwed Threaded Ends MOP 2500 kPa
216T-20	EZI PRESS/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Female Screwed Threaded Ends MOP 2500 kPa
216T-25	EZI PRESS/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Female Screwed Threaded Ends MOP 2500 kPa
216TMF-15	EZI PRESS/WATTS	DN 15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216TMF-20	EZI PRESS/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216TMF-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa
216TMM-15	EZI PRESS/WATTS	DN15 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male Screwed Threaded Ends MOP 2500 kPa
216TMM-20	EZI PRESS/WATTS	DN20 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male Screwed Threaded Ends MOP 2500 kPa
216TMM-25	H/WATTS	DN25 Metallic Bodied (Brass DR) Chrome Plated Ball Valve with Tee Handle and Male Screwed Threaded Ends MOP 2500 kPa
233C-15	H/WATTS	DN15 Metallic Bodied (Bronze DR) Ball Valve with Lever Handle and Male x Female Screwed Threaded Ends - MOP 2500kPa
234D	H/WATTS	DN15x20 Metallic Bodied (Brass DR) Chrome Plated Two Way Ball Valve with Tee Handle and Male/Female Screwed Threaded Ends MOP 2500 kPa

